



ROSS Module Summary

Complex Incidents

Create Incident

Next Incident #: 4

Incident #

View Issued #...

Complex

Use Host Default Request Number Block(s)

View Default Request Block...

Incident

Figure 1. Creating a Complex Incident

Description

The Complex Incidents module allows Dispatch Managers to identify a new internal or external incident as a 'Complex' and associate one or more internal or external incidents to it. The complex serves as an umbrella for the other incidents.

An incident must be identified as a complex when it is created. This is done via a 'Complex' checkbox that has been added to the New Initial Report or Incident screen (fig. 1). An existing non-complex incident may not be altered to make it a complex. Likewise, a complex incident may not be changed to make it not a complex. A complex may be any incident type *except preposition*.

The 'Related Incidents' button on the **Incident screen for the Complex** (see *Incident module information*) is used to view or modify the associated incidents (fig. 2). **A complex and its members must be managed by the same dispatch center.** Users may associate any internal or external incident managed by their dispatch center to their complex, *except* another complex incident, an incident that is already associated to a complex, or a preposition incident.



ROSS Module Summary

Complex Incidents

Relationship
Select the relationship between [LM-1B1-000004] Brushy Ridge Complex and the new related incident.

- The selected incident will be a Follow On to LM-1B1-000004
- The selected incident will be a Predecessor to LM-1B1-000004
- The selected incident will be part of the complex for LM-1B1-000004

Search Incidents

Incident Number - 1B1 -

Incident Name

Incident Type

Incident Name	Incident Number
Beetle Butte	LM-1B1-000002
Desolation Valley	LM-1B1-000003
Grass Valley	LM-1B1-000001
Grasshopper Ridge	LM-1B1-000001

Incident # Incident Name

The Related Incident dialog is used to associate incidents to a Complex.

Figure 2. Associating Incidents to a Complex

An auto-doc is created on each incident that is associated with or removed from a complex indicating the pertinent complex, the date/time and user performing the action. A similar auto-doc is attached to a complex each time a non-complex incident is added or removed.

The expression [CPX] is appended to the name/number display of incidents that are associated with a complex. This includes auto-doc and notification messages. A complex incident and/or any of its members may be closed/reopened. This has no affect on the complex or its associations.

The Complex Incidents module is related to the Incident and New Initial Report or Incident modules.



ROSS Module Summary

Complex Incidents

Data Information:

Data Element	Data Definition
Relationship	The selected incident will either be a Follow On, Predecessor, or part of the Complex for the selected Incident.
Incident Number	Order number of the Incident.
Incident Name	The name assigned to the Incident.
Incident Type	The nature of the Incident (e.g., Fire –Wildfire, Fire – Prescribed, Flooding).