



ROSS Module Summary

Incident

ROSS Screen Title Bar

'Most Recent Incidents' dropdown list

Incident - [UT-WCF-000023] UINTAH HIGHLANDS RX

GINA BALD @UT-NUC

Incident Details

Initial Date/Time: 02/27/2006 08:56 MST

Incident Type: Fire - Prescribed

Office Reference: 000023

Prev. Inc. #:

Min. Elevation (ft):

Max. Elevation (ft):

Location

Location Name: UINTAH HIGHLANDS RX

Latitude: 41 10 07 N Longitude: 111 55 09 W

Township Range: 5N Section: 14 Base Meridian: SWNE Salt Lake, UT

UTM Northing: 4557875 UTM Easting: 422826 UTM Zone: 12

Navigation Aids | Aviation Hazards | Financial Codes | Compact | Locations

VOR	VOR Name	State	Bearing	Distance
OGD	OGDEN	UT	99	9
LHO	BRIGHAM CITY	UT	160	38
EWV	EVANSTON	WY	246	41
LGU	LOGAN	UT	168	41
FFU	FAIRFIELD	UT	346	54
PVU	PROVO	UT	337	58

Reload Bases

Name	FAA Code	City	State
HILL AFB	HIF	OGDEN	UT

Frequencies | Airports | Reload Bases | Directions | Contacts | Organizations | Documentation | Request Blocks | Reassign Authorization

Type	Frequency	Tone	Contact Name	Owner	Air Tactical
Air to Air	127.475			Local Assign	No
Air to Ground	RX172.325 TX172.325			Local Assign	No
Command	RX168.125 TX164.125	156.70		Local Assign	No

Description

The Incident module is used to view, edit, and add information about Incidents that were created in the New Initial Report or Incident module or promoted from the Initial Report module. The ROSS Screen Title Bar displays the incident number and name of the current Incident. The 'Most Recent Incidents' dropdown list is used to select another Incident. Dispatchers may edit the Incident Details or Location, view or add Related Incidents or Initial Reports. Detail Requests may be created for pre-planned incident types (e.g., Prescribed Fire). A series of tabs permits Dispatchers to view and update information from the ROSS Administration modules with respect to the current incident.



ROSS Module Summary

Incident

Dispatchers at all levels will use this module. The Incident module is related to the Airport, Aviation Hazard, Location, Organization, New Initial Report or Incident, Initial Report, Incident List, New Request, Quick Fill and Reports modules and all of the Dispatch modules.

Data Information:

Data Element	Data Definition
Incident <i>toolbar</i>	The context of the Incident module is chosen from the 'Most Recent Incidents' dropdown list on this toolbar.
Incident Details	Basic information about the Incident that may be edited. Includes Initial Date/Time, Time Zone, Type, Office Reference, Previous Incident Number, Min. Elevation (ft), Max. Elevation (ft), Related Incidents, Associated Initial Reports, Detail Requests, and Print Incident.
Edit Incident <i>button</i>	Allows user to change any of the Incident Details fields.
Close Incident <i>button</i>	Incidents that have no outstanding requests or resources assigned may be closed by selecting this button.
Reopen Incident <i>button</i>	Used to open an incident that has been closed.
Map Incident <i>button</i>	When implemented, will display a map of the Incident.
Related Incidents <i>button</i>	Used to establish other incidents as Follow On, or Predecessor to the current Incident.
Associated Initial Reports <i>button</i>	Used to view or add Initial Reports that are associated with the current Incident. If the incident was promoted from an Initial Report, that information is displayed in this dialog box.
Detail Request <i>button</i>	Allows user to create one or more Detail Requests for Incidents of type Prescribed Fire, Preparedness/Prepositioning, Special Event or Training.
Print Incident <i>button</i>	Prints a report of the Incident Header Information.
Location	Displays Location Name and Coordinates. May be edited.
Navigation Aids <i>tab</i>	Displays the ten VORs closest to the Incident coordinates.
Aviation Hazards <i>tab</i>	Displays fixed aviation hazards (established in the Aviation Hazard module) and non-fixed (incident-related) hazards and coordinates. New hazards of either type may be added.



ROSS Module Summary

Incident

Data Element	Data Definition
Financial Codes <i>tab</i>	Used to assign one or more financial codes (established in the Organization or New Initial Report or Incident modules) to the Incident by Host Organization and year. New codes may be added. One Financial Code may be designated as a default for the Incident.
Compact <i>tab</i>	Used to link the Incident to an existing Interstate Forest Fire Protection Compact (<i>a legally binding agreement between member states to share resources for fire suppression without federal oversight or involvement</i>).
Locations <i>tab</i>	Used to associate Locations (created via the Location module) with the current Incident. An incident-related Location Use is designated (e.g., a campground may be <i>used</i> as a Command Post). Navigation instructions may be added and are displayed for requests using that location as a delivery point.
Frequencies <i>tab</i>	Displays Host Organization frequencies (established in the Organization or New Initial Report or Incident modules). User may add new frequencies including Type, Tone, and Contact.
Airports <i>tab</i>	Host Dispatch office retardant reload bases (identified in the Organization module) are automatically displayed. Other airports may be added and used as delivery points for the incident. Navigation instructions may be added and are displayed for requests using that Airport as a delivery point.
Reload Bases <i>tab</i>	Displays the reload bases associated with the incident dispatch. Locations other than tanker bases may be added, e.g., a field operation for single engine air tankers.
Directions <i>tab</i>	Used to enter navigation instructions to the Incident Location. These instructions may be viewed for requests that are to be delivered to the Incident.
Contacts <i>tab</i>	Host Dispatch office phone numbers (identified in the Organization module) are automatically displayed. New Contacts may be added. The 'Request Contact' for a New Request may be selected from this list.
Organizations <i>tab</i>	Used to view or change the Host, Benefiting, Dispatch, and Billing organizations for the Incident.



ROSS Module Summary

Incident

Data Element	Data Definition
Documentation <i>tab</i>	Pertinent information or notes that the dispatcher wishes to capture. ROSS automatically documents many user actions.
Request Blocks <i>tab</i>	Used to specify the numbers assigned to requests created for an Incident.
Reassign Authorization <i>tab</i>	Dispatch Managers may grant/revoke reassign authority on their local incidents to any other dispatch center(s) except status-only, external, or removed offices. Granting reassign authority is the first step in Quick Fill Reassigning resources when the source and destination incidents are managed by different dispatch centers (<i>see Incident Resources module information</i>).
Complex <i>tab</i>	The tab is only displayed when the selected Incident is a complex or a member of a complex. The incident name/number and status (open or closed) of all related incidents are displayed. Another View Incident <i>button</i> allows users to go directly to information about any of the related incidents.